

## The New IAG Structure

President of IAG: **G. Beutler** (Switzerland)



Gerhard Beutler

### **Preamble**

The Statutes and By-Laws of the Association, as they were accepted by the IAG Council at the IAG Scientific Assembly 2001 in Budapest, are included in this new edition of the Geodesist's Handbook 2004. Consequently, these introductory remarks concerning the IAG Structure 2003–2007 are redundant, by definition. The only excuse to write these lines resides in the experience that many colleagues – geodesists, surveyors and geophysicists – start yawning when reading expressions like “Statutes” and “By-Laws”.

The author of this “Explanatory Supplement” hopes to have extracted the essence of the new IAG in a less formal, but still informative way. As the full text of the Statutes and By-Laws is available in this Volume, it is allowed to mention only the more relevant elements and facts, subsequently.

The restructuring process 1999–2003 was deep and fundamental. The key elements were:

- the new structure should have a focus
- the new structure should be based on the three pillars of modern geodesy, namely the geometric shape of the

Earth, the Earth's gravity field, and the orientation of the Earth in space.

- the new structure should (better) incorporate the very successful IAG services, among other by a representation in the IAG Executive Committee.

It is very interesting to look at the “new IAG” from the perspective of history. This was done by Beutler et al. (2004), also included in this Volume.

### ***1 The road from Birmingham (1999) to Sapporo (2003)***

The new IAG structure was developed after the IUGG General Assembly in Birmingham in summer 1999. Between the summer 1999 and the summer 2001 a thorough review of the IAG work and structure was performed by the so-called IAG Review Committee, the work of which is documented by Beutler et al. (2002). The list of authors of this document also is identical with the list of members of the IAG Review Committee.

The report was presented to the IAG Scientific Assembly in Budapest in September 2001 in Budapest. The proposed new structure was accepted by the IAG Executive Committee and later on by the IAG Council, which held an extraordinary meeting on September 8, 2001 in Budapest. At the same meeting Rummel et al. (2002) proposed to create the the Integrated Global Geodetic Observing System (IGGOS) as IAG's first project. After the Budapest Scientific Assembly the IAG Review Committee was abolished and the IAG Committee for the Realization of the New IAG Structure was created. It was in essence composed of the IAG Executive, augmented by few experts from services and regions. The committee members were:

- Gerhard Beutler (IAG first Vice-President, Chair of Committee)
- Fernando Sanso (IAG President)
- Christian C. Tscherning (IAG Secretary General)
- Alan Dodson (President Section I)
- C.K. Shum (President Section II)
- Michael G. Sideris (President Section III)

- Bernhard Heck (President Section IV)
- Klaus Peter Schwarz (Past President of IAG)
- Ruth E. Neilan (Director IGS Central Bureau)
- John Manning (Representative of Southern Hemisphere)

The work of mapping the old structure into the new one, of creating the planning group for the Inter-commission Committee (ICC) on Theory, and of issuing the call for proposals for the Outreach Branch was given to the IAG Committee for the Realization of the new IAG structure. It was decided furthermore that the creation of a planning group for the IAG Project called IGGOS (Integrated Global Geodetic Observing System) should be left to the initiative of Reiner Rummel and Gerhard Beutler (see Beutler et al. 2004). The IAG Committee for the realization of the new IAG structure held three meetings (on September 6, 2001 in Budapest, on December 11, 2001 in San Francisco, and on April 26, 2002 in Nice).

## 2 The essence of the new IAG Statutes and By-Laws

The IAG statutes say: “The Mission of the Association is the advancement of geodesy, an Earth science that includes the study of the planets and their satellites. The IAG implements its mission by advancing geodetic theory through research and teaching, by collecting, analyzing, and modeling observational data, by stimulating technological development and by providing a consistent representation of the figure, rotation, and gravity field of the Earth and planets and their temporal variations”.

The mission statement is very broad by including our Moon, the planets of the solar system, and perhaps even satellites of other planets (than the Earth) into the sphere of interests and activities of the Association. We will see below that this broad understanding is reflected by the new structure.

The Association’s objectives are stated in the IAG Statutes, as well (please consult this document for more information). The scientific work of the Association is further specified in greater detail the new IAG By-Laws: The scientific work of the Association shall be performed within a component-structure consisting of:

- Commissions
- Services
- Inter-commission Committees
- the Communication and Outreach Branch, and
- IAG Projects,

hereafter called the Association components or components. When comparing the previous with the new structure we find that the Services are mentioned for the first time as IAG components on the same level of the hierarchy as the Commissions. The new structure was simplified insofar as the old “section-level” was abolished.

The Communication and Outreach Branch, Inter-commission Committees (ICCs), and IAG project(s) are

new structure elements. Let us briefly browse through these elements. We only include the general definitions and remarks. The Terms of Reference of the components for the time period 2003–2007 may be found in this Volume, as well.

### 2.1 Commissions

#### *Commission 1: Reference Frames* (President: Hermann Drewes)

The objectives of Commission 1 are:

- The establishment, maintenance, improvement of the geodetic reference frames.
- Advanced terrestrial and space observation technique development for the above purposes.
- International collaboration for the definition and deployment of networks of terrestrially-based space geodetic observatories.
- Theory and coordination of astrometric observation for reference frame purposes.
- Collaboration with space geodesy/reference frame related international services, agencies and organizations.

#### *Commission 2: Gravity Field* (President: Chris Jekeli)

The objectives of Commission 2 are:

- Terrestrial, marine, and airborne gravimetry.
- Satellite gravity field observations.
- Gravity field modeling.
- Time-variable gravity field.
- Geoid determination.
- Satellite orbit modeling and determination.

#### *Commission 3: Earth Rotation and Geodynamics* (President: Véronique Déhant)

The objectives of Commission 3 are:

- Earth Orientation (Earth rotation, polar motion, nutation and precession).
- Earth tides.
- Tectonics and Crustal Deformation.
- Sea surface topography and sea level changes.
- Planetary and lunar dynamics.
- Effects of the Earth’s fluid layers (e.g., post glacial rebound, loading).

#### *Commission 4: Positioning and Applications* (President: Chris Rizos)

The objectives of Commission 4 are:

- Terrestrial and satellite-based positioning systems development, including sensor and information fusion.
- Navigation and guidance of platforms.

- Interferometric laser and radar applications (e.g., Synthetic Aperture Radar).
- Applications of geodetic positioning using three dimensional geodetic networks (passive and active networks), including monitoring of deformations.
- Applications of geodesy to engineering.
- Atmospheric investigations using space geodetic techniques.

Each Commission has a Steering Committee, with a maximum of twelve voting members, who define the appropriate sub-structure of the Commission, which may consist of the following components:

- Sub-commissions,
- Study Groups.
- Commission Projects

The Commissions were encouraged to set up inter-commission components and components together with the ICCs.

## 2.2 Services

All services somehow associated with the IAG in the past were invited to become official IAG Services under the new structure. The following services decided to follow this invitation in the sense defined by the new IAG Statutes and By-Laws:

- IERS (International Earth Rotation and Reference Systems Service)
- IGS (International GPS Service)
- ILRS (International Laser Ranging Service)
- IVS (International VLBI Service for Geodesy and Astrometry)
- IGFS (International Gravity Field Service)
- IDS (International DORIS Service)
- BGI (International Gravimetric Bureau)
- IGES (International Geoid Service)
- ICET (International Centre for Earth Tides) (Belgium)
- PSMSL (Permanent Service for Mean Sea Level)
- BIPM (Bureau International de Poids and Measure - time section)
- IBS (IAG Bibliographic Service).

The IAG services work in a relatively independent way. Their decision to join the IAG as services in the sense of the new Statutes and By-Laws could not be “enforced” by the IAG. They are represented in the IAG Executive Committee by three members. This implies that the three representatives do not represent all the services.

IAG has a mix of very old and very young services. Their history is very interesting. Consult Beutler et al. (2004) for more information.

## 2.3 Inter-commission Committees

The establishment of Inter-commission Committees (ICCs) was not a trivial task. The idea of ICCs emerged when discussing the future of Section IV “General Theory

and Methodology” of the old IAG structure. The construction was triggered on one hand by the insight that “theory” should not (and cannot) be handled within one theory-oriented Commission only, but that theory must be an integrated part of all Commissions. It was also clear, on the other hand, that there are disciplines related to theory which cannot be dealt with within one Commission, but which are relevant to all Commissions. For problems of this kind a coordinating entity seemed to be necessary. The opinion of the IAG Committee on the New Structure and (later on) of the IAG Executive Committee (old and new) is very well captured by the definition given in the By-Laws:

“Inter-commission Committees handle important and permanent tasks involving all Commissions. Each Inter-commission Committee shall have a steering committee consisting of the following membership:

- President appointed by the IAG Executive Committee.
- Vice-president appointed by the IAG Executive Committee.
- One representative from each Commission.

The terms of reference for each Inter-commission Committee shall be developed by a planning group appointed by the IAG Executive Committee. The Inter-commission Committees report to the IAG Executive Committee. The Inter-commission Committee will be reviewed every eight years.”

When reading the Terms of Reference of the ICCs, one might get the impression that the above definition is not (always) literally observed. There are, e.g., purely internal Working Groups in the ICC on Theory. This exception was approved by the Executive Committee.

One may be moreover amazed to find not only the ICC on Theory (chaired by Peiliang Xu), but also proposals for an ICC on Planetary Geodesy and for an ICC on Geodetic Standards. The IAG Council authorized the IAG Executive Committee to set up the two ICCs, provided the planning groups could finalize the preparatory work. Currently, the planning groups for both ICCs are finalizing their preparatory work. Intermediary reports of the planning groups are contained in this Volume.

The ICC on Planetary Geodesy is an excellent example for an ICC in the spirit of the above definition: The exploration of the Moon and of planets (other than the Earth) using geodetic techniques is, in particular in view of the “race to Mars” of the prominent space agencies taking place currently, a hot topic and should undoubtedly be addressed by IAG. It is also crystal clear that the topic involves all IAG Commissions. The same is also true in the case of the ICC on Standards: IAG must make available fundamental constants, etc., and speak with one tongue in such questions. This task shall be delegated to the ICC on Standards. In order to accomplish the task, the ICC has to

maintain very close links to the Commissions, but in this case also to the IAG Services; in particular to the IERS, maintaining the well-known IERS Conventions.

## 2.4 The IAG Project

The new structure allows it to create IAG projects. IAG projects are, as a matter of fact, a (and perhaps the) essential element to realize a focus in the work of the Association. Let us again quote the IAG By-Laws:

“IAG Projects are of a broad scope and of highest interest and importance for the entire field of geodesy. These projects serve as the flagships of the Association for a long time period (decade or longer).

The IAG Executive Committee shall appoint planning groups for the creation of each IAG Project. Each IAG Project shall have a Project Steering Committee consisting of the following membership:

- The project chair appointed by the IAG Executive Committee
- One member from each Commission appointed by the Commissions’
- Steering Committees
- Two Members-at-Large proposed by the members of the Project
- Steering Committee and approved by the IAG Executive Committee
- Chairs of the IAG Project sub-groups (if any).

In the IAG Structure 2003–2007 there is exactly one project, the IGGOS, standing for Integrated Global Geodetic Observing System. A planning group for the IGGOS was set up at the IAG Scientific Assembly in Budapest, a first meeting was held in May 2002 in Washington, a second one in October 2003 in Munich. The terms of Reference of the IGGOS project are contained in this volume, as well. More information concerning IGGOS and its importance from the perspective of history may be found in Beutler (2004).

The IGGOS project is chaired by Christopher Reigber from the GeoForschungsZentrum (GFZ) in Potsdam. With this appointment the IAG goes back, at least geographically, to its roots: Friedrich Robert Helmert, the first director of the IAG Central Bureau, was residing in Potsdam as well – as a matter of fact in the same building and at the same desk as the IGGOS president. We of course all assume that the “genius loci” will make IGGOS a great success.

## 2.5 Communication and Outreach Branch

Nowadays, Communication and Outreach are of eminent importance, not only in politics, but also in science. This aspect shall be in particular dealt with by the so-called IAG Communication and Outreach Branch.

Let us again quote the relevant definition from the IAG By-Laws: “The Communication and Outreach Branch provides the Association with communication, educa-

tional/public information and outreach links to the membership, to other scientific Associations and to the world as a whole.

The responsibilities shall include the following tasks:

- Promote the recognition and usefulness of geodesy in general and IAG in particular.
- Publications (newsletters)
- Membership development.
- General information service and outreach.

The Communication and Outreach Branch may also assist the IAG Central Bureau in the following tasks:

- Maintenance of the IAG Web page,
- Setting up Association schools,
- Setting up meetings and conferences,
- Maintaining the Bibliographic Service.

A Call for Proposals was sent out in fall 2002. IAG was very lucky to be able to make its final selection from various excellent proposals. Eventually, the proposal of the Budapest University of Technology and Economics was accepted. Jozsef Adam is the director of the Communication and Outreach Branch. The address of the new IAG homepage is “[www.iag-aig.org](http://www.iag-aig.org)”.

## 3 Individual Membership

The Membership of the Association consists of Countries, Candidate Members, Individual Members and Fellows. The individual membership is a new element of the new IAG structure. It is the attempt of the Association to improve the “IAG esprit de corps”. The rights and privileges of individual members are listed in the IAG By-Laws. The membership lets you take part more actively in the life of the association. It is accompanied by a modest annual fee, which, in the good old IAG tradition is used primarily to support our young colleagues and our colleagues from developing countries. Membership forms may be downloaded from the IAG homepage ([www.iag-aig.org](http://www.iag-aig.org)). You also find a specimen attached to this report.

## 4 Concluding Remarks

The IAG Review and restructuring process was long and (to a certain extent) exhausting. The result is interesting and promising. The new structure is, of course, also a compromise of (at times very) different positions, attitudes, and opinions. Be this as it may: The time of restructuring is over. We now have to bring the Association, within the new framework, to life and to work.

I am personally looking forward to four years of hard, but also rewarding work. It will be in particular of greatest importance that the interface between commissions and services is defined properly, that frictions between Commissions and Inter-commission Committees are mini-

mized, and, last but not least, that the IGGOS actually develops into the proud IAG flagship – as it is supposed to be according to the IAG By-Laws.

### *References*

- BEUTLER G, BRUNNER F, DICKEY J, FEISSEL M, FORSBERG R, MUELLER II, RUMMEL R, SANZO F, SCHWARZ K-P (2002) The IAG review 2000–2001: Executive summary. International Association of Geodesy Symposia, Vol. 125, 603–608.
- RUMMEL R, DREWES H, BEUTLER G (2002) The IAG review 2000–2001: Executive summary. International Association of Geodesy Symposia, Vol. 125, 603–608.
- BEUTLER G, DREWES H, VERDUN A (2004) The new structure of the International Association of Geodesy (IAG) viewed from the perspective of history. Geodest's Handbook 2004. Journal of Geodesy, this Volume.



## Membership Application Form 2004

Please complete and send to: IAG Central Bureau, c/o University of Copenhagen,  
Department of Geophysics, Juliane Maries Vej 30, DK-2100 Copenhagen O, Denmark.  
Fax: +45 35365357 <http://www.gfy.ku.dk/~iag/>

For office use only	Date received	Membership number
---------------------	---------------	-------------------

Please use BLOCK CAPITALS

### Personal details

Surname/Last/Family Name		Other Names		Title (Prof/Dr/Mrs/Ms etc)	Date of Birth dd/mm/yyyy
Address (to which correspondence will be sent)			Telephone		
			Fax		
			E-mail		
	Postcode/zip			Country	

### Class of membership (tick one)

Individual one year (USD 50)	<input type="checkbox"/>	Individual four year (USD 150)	<input type="checkbox"/>	Individual at reduced fee Application submitted separately	<input type="checkbox"/>
Free Student	<input type="checkbox"/>	University/College and signature of department head			
Free Retired	<input type="checkbox"/>	upon accepting e-mail communication only			
Concessionary – Retired (USD 30)	<input type="checkbox"/>	upon requesting communication by regular mail			
I represent the institution	<input type="checkbox"/>	Institution name:	and I want to pay for the membership of	persons, the names of which will be submitted by special letter.	

### IAG Fund (voluntary)

I wish to contribute to the IAG Fund:	Annual basis	<input type="checkbox"/>	One-and-for-all	<input type="checkbox"/>	Amount (USD)	
---------------------------------------	--------------	--------------------------	-----------------	--------------------------	-----------------	--

### Payment details (tick one)

<input type="checkbox"/>	Cheque					
<input type="checkbox"/>	Credit Card Number			Expiry date		Security Code
<input type="checkbox"/>	Name on card			Credit card type:	MasterCard <input type="checkbox"/>	VISA <input type="checkbox"/> Eurocard <input type="checkbox"/>
<input type="checkbox"/>	Bank transfer	Bank: Den Danske Bank, Borups Have 117 2000 Frederiksberg, Denmark Account No.: 3785 070518				

### Benefits of individual membership

I wish to subscribe to the Journal of Geodesy at a reduced price ☐

I wish to become a member of the IAG Commission:

- |                                   |                          |                                 |                          |
|-----------------------------------|--------------------------|---------------------------------|--------------------------|
| 1. Reference Frames               | <input type="checkbox"/> | 2. Gravity Field                | <input type="checkbox"/> |
| 3. Earth Rotation and Geodynamics | <input type="checkbox"/> | 4. Positioning and Applications | <input type="checkbox"/> |

I wish to be admitted as a member of the International Association of Geodesy (IAG) because I am/have participated in IAG activities ☐  
and/or I work in geodesy ☐

Signature		Date	
-----------	--	------	--

## The new structure of the International Association of Geodesy (IAG) viewed from the perspective of history

G. Beutler<sup>1</sup>, H. Drewes<sup>2</sup>, A. Verdun<sup>1</sup>

<sup>1</sup> Astronomical Institute, University of Bern, Sidlerstrasse 5, CH – 3012 Bern, Switzerland  
e-mail: gerhard.beutler@aiub.unibe.ch, andreas.verdun@aiub.unibe.ch

<sup>2</sup> Deutsches Geodätisches Forschungsinstitut, Marstallplatz 8, D – 80539 Munich, Germany  
e-mail: drewes@dgfi.badw.de

**Abstract.** The IAG Executive Committee and the IAG Council decided to invoke a thorough review of the IAG and its structure with the goal to create a new, hopefully simpler structure, meeting the needs of the 21st century, at the IAG General Assembly in Birmingham in 1999. The new structure was implemented in 2003 at the XXIII-rd IUGG General Assembly in Sapporo. The new structure should

- have a *focus*
- be based on the three pillars of modern geodesy, namely the *geometric shape of the Earth*, the *orientation of the Earth in space*, and the *Earth's gravity field*, and
- better incorporate the IAG services

The new structure may be viewed as an attempt to go back to the roots of the IAG, as they were designed and realized by the eminent geodesists and practitioners of the 19th century.

There are remarkable parallels between this first IAG structure and that of 2003: The focus of IAG in the 19th century was the Central European Arc Measurement, in the 21st century it is the Integrated Global Geodetic Observing System (IGGOS). The creation of the *International Latitude Service* (ILS) was a proud achievement of the “old” IAG, today’s IAG services are the modern counterpart. The goals of the 19th century IAG were technically achieved by optical (astrometric) observations and politically by international collaboration. The modern tools are the space geodetic techniques (geometric and gravitational), nothing changed on the political level: Only international coordination and collaboration and long-lasting institutional commitments promise satisfactory results.

**Key words.** Earth observing systems, reference systems, Earth rotation, gravity field, history of geodesy

### 1 Geodesy and IAG

By the mid-19th century geodesy was established as an independent scientific discipline with a theoretical foundation (containing specialized concepts) and with dedicated observation methods. In the 1880s, *Friedrich Robert Helmert* (see Fig.1) compiled and refined the mathematical and physical theories related to geodesy in his two-volume oeuvre *Helmert* (1880). He defined the so-called *higher geodesy as the methods to determine the equipotential surfaces and to measure parts of the Earth's surface of arbitrary size by horizontal projection and heights considering the shapes of the equipotential surfaces*.

According to Torge (2001) and (Torge1996), *geodesy is the science of the measurement of the Earth's surface and its external gravity field including temporal variations*. If “measurement of the Earth” is understood to include also the orientation of the Earth in inertial space, then the above definition may be considered as valid for our purpose. Modern geodesy is based on *three pillars*, namely

- The geometric shape of the Earth (land, ice, and ocean surface) as well as its variations with time,
- The orientation of the Earth in space as a function of time (described by the Earth rotation parameters *precession, nutation, length of day, and polar motion*), and
- The Earth's gravity field and its temporal variations.

This definition of modern geodesy was put forward by Rummel et al. (2002), who also made the following proposal in the same article: *We propose, as a candidate IAG project, an Integrated Global Geodetic Observing System (IGGOS). IGGOS should combine – with utmost precision and consistency – the three fundamental areas of geodetic research into one integrated global observation and analysis system for Earth sciences*. The level of relative precision and consistency was specified to be at least at the order of  $10^{-9}$ .

What is the motivation to invoke a large-scale experiment like IGGOS? There were – as often in such cases – many reasons. Let us give three, which we believe to have been of central importance:

- It was inspiring that Prof. Klaus-Peter Schwarz, president of the Association between 1996 and 2000, was convinced that the Association would need a new focus in the new millennium. His questions, concerns, and his convincing power led, among others, to the organization of the IAG Section II Symposium in Munich in October 1998 (documented in Rummel et al. (2000). Many ideas, how to reorganize IAG and how to realize IGGOS within the Association, were discussed for the first time at this symposium. The name *Integrated Global Geodetic Observing System* and the corresponding acronym IGGOS were coined in 1998 in Munich. It was understood, from this point in time onwards, that IGGOS should be considered as the focus for most of the IAG activities.
- The five-section structure of the IAG was implemented already in 1951 at the General Assembly in Brussels and the most recent serious review of the structure took place at the General Assembly in Hamburg in 1983. This development is documented by Table 1 (taken from Beutler 2000). Many important developments, mainly due to the advent of the space age and the advancement of measuring technology, were not reflected by the IAG structure implemented in 1951 or in 1983.
- According to Levallois (1980), the IAG Sections should define the fundamental directions for geodesy and give as complete a picture as possible of current research and results in their fields. Attached to the sections there could be commissions and special study groups. The commissions had the task of dealing with special problems requiring coordinated international action. Often they were centered around a permanent bureau, implying that commissions had a permanent status, as well.

There was overlap between the sections, but there was no such thing as a focus for the entire association. The definition of the essential research topics was left to the five sections. We conclude therefore that the idea of one focal point for the entire association did not exist (nor did it play any role) in the structure established in 1983. The so-called “permanent bureaus” were *not* considered directly as a part of the Association, but only indirectly through the commissions. This set-up assumes that the permanent bureaus have “only” routine and organizational tasks, but certainly no research duties. Research should be performed in the sections, in particular in the study groups.

With the advent of the new space geodetic services, in particular the IERS and the IGS (International GPS Service), the assumptions underlying the old IAG struc-

ture were no longer valid: The space geodetic services are most actively involved in geodetic research – one might even say that they lead the research in important areas and that they are very close to what might be the new IAG focus. This new and exiting development was not at all reflected by the old IAG structure. The service-related aspects will be further discussed in Chapter 4.

It became clear at the Munich Section II symposium in 1998, that not only a new focus, but an entire new IAG structure, allowing the Association to focus on a central issue, was required. This is why the IGGOS project and the new IAG structure cannot be separated from each other. At the IAG General Assembly in Birmingham in 1999 the result of four years of analyses of the IAG were presented and discussed at the symposium called *IAG structure to meet future challenges*. It was decided that an *IAG Review Committee* should be given the task to come up with a proposal for a new IAG structure at the IAG Scientific Meeting in 2001 in Budapest. The IAG Review Committee organized a



Fig 1. Friedrich Robert Helmert (1843-1917)



**Table 1.** The IAG Sections

Section	Year	Title
I	1951	Triangulation
	1971	Control Surveys
	1983	Positioning
II	1951	Precise Leveling
	1971	Satellite Surveys
	1983	Advanced Space Technology
III	1951	Geodetic Astronomy
	1971	Gravimetry
	1983	Determination of the Gravity Field
IV	1951	Gravimetry
	1971	Theory and Evaluation
	1983	General Theory and Methodology
V	1951	Geoid
	1971	Physical Interpretation
	1983	Geodynamics

retreat in February 2000, where experts from geodesy, Earth sciences, government organizations, etc. were invited to develop, together with the committee, a first proposal for the new structure. The committee did then complete its work in a series of meetings, documented its findings in Beutler (2002), drafted new IAG statutes and ByLaws (see IAG homepage, <http://www.gfy.ku.dk/~iag/>), and presented its work for approval to the IAG Executive Committee and the IAG Council in September 2001 in Budapest. After slight revisions the proposal was approved. The new IAG consists of

- Commissions
- Services
- A Communication and Outreach Branch
- IGGOS as IAG's first project.

The four elements are represented in the IAG Executive Committee. Commissions and services thus are on the same level in the new IAG structure. Moreover, the new Statutes and ByLaws allow it to create an IAG project and so-called inter-commission committees. More details about the new IAG structure may be found in Beutler (2002) and Beutler (2003).

The attempt to establish IGGOS as IAG's first (and only) project should be compared to the creation of the IAG itself in 1864. This aspect will be further pursued in Chapter 2.

The proposal put forward by the IGGOS planning group to the IAG Executive Committee and the IAG Council at the IAG General Assembly in Sapporo contains definition, vision, and mission statements. Moreover, the objectives are specified, a science rationale is provided, and the plan to implement IGGOS is specified. For the complete information we refer to the original text of the pro-

posal (see IAG homepage, <http://www.gfy.ku.dk/~iag/>). Here we confine ourselves to reproduce the definition statement:

**Definition:** IGGOS stands for Integrated Global Geodetic Observing System. *System* should be understood as the basis on which the future advances in geosciences can be built. By considering the Earth system as a whole (including solid Earth, atmosphere, ocean, hydrosphere, ice, liquid core, etc.), monitoring it by geodetic techniques and by studying it from the geodetic point of view, the geodetic community does provide the global geosciences community with a powerful tool consisting mainly of high quality services, standards and references, and theoretical and observational innovations. . . .

IGGOS has a central theme, namely *Global deformation and mass exchange processes in the System Earth*. Under the umbrella of geometry plus Earth rotation plus gravity field, this theme encompasses virtually all facets of geodesy. In addition, it may easily be translated and broken down into tangible individual sub-themes and -products.

IGGOS will be based on the existing IAG Services. It will provide a framework for existing or future services and wants to ensure their long-term stability. IGGOS must be recognized by partners outside IAG, e.g., by UNESCO, ICSU (International Council of Science), IGOS (the United Nations' Integrated Global Observing Strategy), governments, inter-government organizations, WCRP (World Climate Research Program), IGBP (International Geosphere Biosphere Program), etc., as geodesy's most important contribution to Earth sciences.

The initial structure to be established for the *IGGOS definition phase* is simple and compatible with the existing IAG services. The key elements of the initial IGGOS structure are:

- The IGGOS Project Board as the central oversight entity.
- Few well-defined Working Groups. The tasks of the working groups are to a high degree independent of the tasks of the IAG services.
- An IGGOS Science Council representing the geodetic community.

More details may be found in the IGGOS description in this volume.

## 2 General Baeyer's magnificent enterprise

The history of the IAG till 1996 is very well documented by Levallois (1980) and Torge (1996). Our main interest is related to possible parallels between the birth of the Association and its new structure – if there are any. Our interest was stimulated by the article by Schwarz (2000), who wrote:




Fig 2. The Prussian General Johann Baeyer (1794–1885)

“The impetus for organizing the international scientific work in geodesy came from J. J. Baeyer, who in 1861, at the age of 66, sent his famous memorandum to the King of Prussia urging the establishment of the Central European Arc Measurement. . . Baeyer (1861) states:

*In this framework, one could compute about 10 meridian arcs at different longitudes and even more parallel arcs at different latitudes; it would also be possible to compare the curvature of the meridians on both sides of the alps, to study the effect of the alpine ranges on the deflections of the vertical and to determine the curvature of the Adriatic and the Mediterranean, as well as the North Sea and the Baltic; in a word, there is a wide field for scientific investigations which have not been considered in any of the arc measurement campaigns and which, no doubt, will lead to interesting and important results. . . . If Central Europe is therefore willing to unite and use its resources for the solution of this task, it will call into being an important and magnificent work. . . .*

The new set of questions that Baeyer proposed to ask had to do with the Earth as a system. He established as guiding principles that the system Earth

- Must be considered as consisting of the solid Earth and the oceans.
- Could be determined by measurement, of both the geometric and gravimetric variety.
- Required the integration of existing components, to provide new insights.
- Needed international cooperation and a scientific organization.

These principles created a focus for geodetic research that could still be felt fifty years later when the First World War interrupted this development.”

### **3 General Baeyer’s magnificent enterprise and IAG in the 21<sup>st</sup> century**

The above quotations from Schwarz (2000) may be viewed as the justification from the historical point of view of the new IAG with IGGOS as its central theme. Let us further investigate the parallels between Baeyer’s “magnificent enterprise” and the more prosaic IGGOS (at least when judged from the naming point of view).

In 1861 Baeyer was a retired general of the Prussian army, well aware of the engineering, military and economic implications of his proposal. The engineering part of IGGOS is important, as well: *The second half of the 20<sup>th</sup> century has seen an unprecedented development of new measurement techniques in geodesy. Extensive use is made of global satellite navigation systems like the GPS (the U.S. Global Positioning System), the Russian counterpart GLONASS, the French system DORIS, and the future European system GALILEO. These systems were neither designed nor are they maintained for scientific reasons, but for everyday applications like airplane and car navigation, hiking and biking, positioning, etc., and (at least for the first two systems) for military use. They must be complemented, for practical reasons, as well, by precise gravity observation systems (terrestrial, airborne, spaceborne) in order to allow for the determination of physical heights, which matter for many engineering applications.*

The proposers of the new IAG structure and of IGGOS are convinced – exactly as General Baeyer was in his epoch – that the available magnificent geodetic high precision instruments must be used for the benefit of science and society – in particular for Earth sciences and astronomy (many of the methods developed in space geodesy could, e.g., be used for determining size, figure, orientation, and gravity field of the Moon, or other planets of the solar system).

What Baeyer proposed, and what was eventually realized, was neither the first arc measurement, nor were the first gravimetric measurements performed in the context of the Central European Arc Measurement. The new aspect of the enterprise was the use of mature

geodetic measurement techniques and the standardization of observation and analysis, which allowed it to focus on scientific issues, rather than on measurement technology.

A similar situation is encountered today: The revolutionary geodetic techniques designed and deployed in the second half of the twentieth century are mature (or are about to become mature). Their scientific exploitation asks for a magnificent enterprise in the sense of Baeyer. The “initial conditions” for IGGOS may be summarized as follows:

- With the advent of the space age in 1957 satellite geodesy was developed as a new branch of science. Satellite geodesy uses artificial satellites either as measurement targets or as measurement platforms. Thanks to the relative closeness of the targets (“only” a few thousand kilometers) and thanks to new developments in physics, alternative measurement techniques eventually replaced the one and only technique in astronomical geodesy (geodetic astronomy), namely the astrometric determination of the direction of the observer to the celestial object at a particular point in time. The Laser technology could be used to measure precise distances between observatories and satellites (today with a typical accuracy of 1 cm), crystal oscillators and atomic clocks opened the way for using microwave signals (emitted by artificial satellites) to measure distance differences referring to two different epochs and one pair “satellite-receiver”.
- The celestial reference frames, previously (from the stone age up to the second half of the 20th century) realized by observing the directions to so-called fundamental stars with optical means, is today defined and maintained by simultaneously observing Quasars (Quasi-stellar radio sources) from different radio-astronomical observatories by using the Very Long Baseline Interferometry (VLBI) technique.
- In the determination of the Earth’s gravity field (the third pillar of modern geodesy) the (r)evolution due to the advent of the space age was perhaps even more spectacular than in the area covered by the first two pillars. The revolution took place in three steps:
  1. Whereas only the mass of the Earth and the (dynamical) flattening (corresponding to the  $C_{00}$  and  $C_{20}$ -terms of a spherical harmonics expansion of the Earth’s gravity potential) were reliably known before 1957, hundreds of terms emerged from the analysis of the orbits of geodetic satellites using Laser, Doppler, (initially also astrometry) as observation techniques.
  2. With the uninterrupted tracking of low satellite orbits using spaceborne GPS receivers, the gravity field can be determined with unprecedented accuracy. This is proved with the first results of the German CHAMP mission.

3. With the advent of satellite gradiometry (based either on extremely precise distance measurements between neighboring low orbiters or on gradiometers realized by a set of accelerometers within one and the same satellite), the Earth’s gravity field and its temporal variations may be determined with unprecedented accuracy and (temporal and spatial) resolution. Temporal variations, e.g., caused by the re-distribution of mass in the Earth system consisting of solid Earth, ice fields, oceans, and atmosphere, are the key objective of the GRACE mission. Using gradiometry based on accelerometers it is also possible to determine the stationary part of the Earth’s gravity field with unprecedented accuracy – the primary goal of ESA’s GOCE mission.

- Triangulation (i.e., the fine art of establishing geodetic networks of regional or even continental size) was well established when Baeyer made his proposal. The tools to measure absolute gravity were a bit lagging behind in the development. It was an essential element of Baeyer’s proposal to include both techniques. The situation is similar today: the geometry-related IAG services IGS, ILRS, and IVS monitor (point-wise) the geometrical aspects of the system Earth already now on the  $10^{-9}$ -level. The gravity-related results are about to reach this level with the series of space missions CHAMP, GRACE, and GOCE. Again we are in a situation, where the geometrical aspects related to the system Earth are better established than those related to gravity.
- The consistency of the geometrical and gravity-related methods and results was considered only implicitly and as a side issue in Baeyer’s proposal. Within IGGOS consistency of geometry and gravity is a central, probably even the key element. For all applications requiring the knowledge of equipotential surfaces, thus in particular for all research related to global change, this consistency is a prerequisite. Take altimetry as an example! If this consistency, compatible with the accuracy achieved in geometry and in gravity, cannot be guaranteed, sea level changes, ocean currents, etc., cannot be established properly.

#### 4 The IAG services

The incorporation of the IAG services was one of the key element of the IAG restructuring process 1999–2003. Let us therefore briefly review the development of (some of) these IAG units. The history of the IAG services told here is based on information contained in the documentation Mueller (1998), and on the articles, Mueller (2000), Guinot (2000), Wilkins (2000), Yokoyama (2000) and Beutler (2000).

Table 2 from Beutler (2000) lists the currently active IAG services. We should mention that many of them are

“not only” linked to the IAG (or, what we consider to be equivalent, to IUGG, the International Union of Geodesy and Geophysics), but also to other scientific associations. The IERS and the IVS, e.g., are services of the IAU, the International Astronomical Union, as well, and the PSMSL, the Permanent Service for Mean Sea Level, is also responsible to IAPSO, the International Association for the Physical Sciences of the Ocean. Most of the services are, moreover, working under the auspices of FAGS, the Federation of Astronomical and Geophysical Data Analysis Services.

It is our understanding that a new IAG service should only be created, if its products are well defined, regularly generated, and of importance for a larger user community. The services are very different in age (the ILS, one of the predecessors of the IERS, started operations in 1899, the IBS (International Bibliographic Service) has roots going back to 1889, whereas the ILRS and the IVS were founded shortly before the end of the 20<sup>th</sup> century). *It is, however, interesting to note that even the oldest services are today modern IAG services in the sense mentioned above.*

**Table 2.** Current IAG Services

Service	Type	Short Name
IERS	Geom	Int. Earth Rotation and Reference System Service
IGS	Geom	Int. GPS Service
ILRS	Geom	Int. Laser Ranging Service
IVS	Geom	Int. VLBI Service
BIPM	Geom	Int. Bureau of Weight and Measures
PSMSL	Geom	Permanent Service for Mean Sea Level
ICET	Grav*	Int. Centre for Earth Tides
BGI	Grav*	Int. Gravimetric Bureau
IGeS	Grav*	Int. Geoid Service
IBS/-	Doc	IAG Bibliographic Service
IBS/-	Doc	Information Service

\* = now part of IGFS

There are three types of services, one related to (a) geometry, one to (b) gravity, and one to (c) documentation and information. Only the first two types will be further considered here. The distinctions between the first two types are in some cases arbitrary. There are, e.g., geometric and gravity aspects when studying Earth tides (in the case of the ICET, the International Centre of Earth Tides).

Let us first briefly address the gravity-related services. An interesting and promising development took place very recently: The **International Gravity Field Service (IGFS)**, consisting of

- Bureau Gravimetric International (BGI)
- International Centre of Earth Tides (ICET)
- International Geoid Service (IGeS) I, in Milano
- International Geoid Service (IGeS) II, at NIMA

- International Centre of Global Earth Models (ICGEM) at GFZ

was created recently to meet the challenges of the *decade of gravity* marked by the German research satellite CHAMP (launched 2000), the U.S./German mission GRACE (launched 2002), and the European mission GOCE (to be launched in 2005). It is expected that the newly created IGFS will play an active role from now on, comparable to that of the services related to space geodesy. The BGI and the ICET are the oldest parts of the new service.

The **BGI**, hosted by the French space agency CNES (Centre National d’Etudes Spatiales), was founded in 1951. The main task of BGI is to collect, on a worldwide basis, all existing gravity measurements and pertinent information about the gravity field of the Earth, to compile and store them in a machine readable data base in order to redistribute them to a large variety of users for scientific purposes. The data consist of gravimeter observations, mean or point-by-point free air gravity anomalies, and gravity maps. BGI also has at its disposal grids of satellite altimetry derived geoid heights from the Geosat, Topex-Poseidon, ERS1 and ERS2, Jason, and ENVISAT missions.

The **ICET** was founded in 1956 to collect all available measurements on Earth tides. The data are evaluated by convenient methods in order to reduce the very large amount of measurements to a limited number of parameters which should contain all the desired information. The data from different instruments and different stations all over the world are compared and their precision and accuracy is evaluated. The major objective is to help solving the basic problem of calibration by organizing reference stations or realizing calibration devices; to fill gaps in information and data; to build a data bank allowing immediate and easy comparison; and to ensure a broad diffusion of the results and information to all interested laboratories and individual scientists.

The **IGeS** was created in 1991 on the occasion of the IUGG General Assembly in Vienna as an operational group of the International Geoid Commission of IAG. The principal objective is to work for the benefit of the international scientific community in general. Specific tasks are the collection and distribution of data and software for geoid computation as well as the performance of geoid computations in support of national and scientific objectives. At the IGeS section in Milano, emphasis is laid on the education and training aspects by organizing courses (International Schools) and issuing bulletins describing activities and information available. The IGeS branch at NIMA is probably the biggest data generator and supplier worldwide.

Regarding the geometry-related entities in Table 2, one should make the distinction between technique-specific

services and the IERS, which “blends” the results of the technique-specific services to generate a consistent set of Earth rotation parameters, a terrestrial and a celestial reference frame.

The **PSMSL** was established in 1933. It produces and analyzes in essence sea level records of hundreds of tide gauges over long time spans. The PSMSL data set represents extremely important boundary conditions for global change analyses. The correct interpretation of the tide gauge signals is delicate. It is a recent development that the PSMSL and the IGS work closely together: With the GPS technique it is possible to describe independently the vertical motion of the tide gauge observatories.

The role of the **BIPM time section** (Bureau International de Poids et Mesures) is crystal clear: This section of BIPM generates and disseminates International Atomic Time (TAI) and the Coordinated Universal Time (UTC), where the “power” to introduce leap seconds is with the IERS. As UTC is derived today from atomic time (TAI) and no longer from monitoring Earth rotation (or other astronomical motions), the service is basically physical in nature. Its main concern is the combination of more than 200 atomic clocks worldwide. Therefore, there are important relationships between the BIPM and the IGS, because the GPS may be used to transfer time and frequency very accurately and efficiently between the time laboratories. The BIPM time section is the successor of the **BIH, the Bureau International de l’Heure**, which was created in 1912 to make use of the radio technique to synchronize clocks worldwide. Physically, the BIH was located at the Paris Observatory till 1985, when it became the time section of the BIPM. The BIH played a very active role in the transition phase from the IPMS to the IERS (to be discussed below). At that time the BIH did not only have a time section, but an Earth rotation section, as well. The latter branch of the BIH was melted with the newly established IERS in 1988.

The roots of the **IERS** go back to the year 1899, when the **ILS**, the International Latitude Service, was founded by the (predecessor of) the IAG. Its name is very appropriate: polar motion was derived from latitude observations performed at (initially) six observatories (Mizusawa (Japan), Tschardjui (former USSR), Cagliari (Italy), Gaithersburg (USA), Cincinnati (USA), Ukiah (USA)). The Central Bureau of the ILS was initially located at the Geodetic Institute of Potsdam (Director F. R. Helmert, responsible C.T. Albrecht, then moved to Japan (Mizusawa) in 1922 with H. Kimura as director, then to Italy in 1935, to go back to Japan in 1962 with S. Yumi as director). The foundation of the ILS is clearly an IAG achievement. With the reorganization of the international scientific associations after the first world war, in particular with the creation of the IAU and the IUGG, the ILS became a service working under the auspices of the two big Unions. The IAG, now an Association of IUGG, was

*de facto* responsible for the ILS – together with the IAU. A serious review of polar motion work took place in the 1950s. It was decided to considerably expand the polar motion work and that the **IPMS, the International Polar Motion Service**, should succeed the ILS with a much expanded mandate (when compared to the ILS). The IPMS became a service under FAGS and should.

- Advance the study of all problems related to the motion of the pole
- Collect the astronomical observations which can be utilized for the determination of this motion
- analyze and synthesize them
- calculate the coordinates of the pole
- distribute the data required
- publish the initial data and obtained results.

This mandate is close in many aspects to the mandate of the IERS. It is interesting to note, however, that the celestial and terrestrial reference frames, implicitly needed for the work of the IPMS, were not explicitly mentioned in the above list. With the accuracy achievable within the new service, the celestial frame could be taken from astronomy (fundamental catalogs) and the (mean) terrestrial frame from geodesy.

The IPMS Central Bureau stayed in Japan with K. Yokoyama as director until the service was abolished by the end of 1987.

It is interesting to note that it was *not* the IPMS, which embraced the new space techniques, but that this mandate was given to the IAU/IUGG joint working group on the rotation of the Earth in 1978 with G. A. Wilkins as chair and I. I. Mueller as co-chair. This working group initiated and conducted the project MERIT (Monitoring Earth Rotation and Intercomparison of Techniques of observation and analysis). The BIH was the coordinating center of the project. All candidate techniques, in particular optical astrometry, Doppler tracking of satellites, Satellite and Lunar Laser Ranging (SLR, LLR), and Very Long Baseline Interferometry (VLBI) were invited to demonstrate their capabilities for Earth rotation monitoring. A so-called MERIT Short Campaign was held in 1980, followed by the MERIT main campaign from September 1, 1983 to October 31, 1984. The MERIT operations continued (on a best effort basis) thereafter. Based on the experiences gained by the MERIT project and on recommendations made by the project team, the IAU and IUGG decided to set up the IERS (International Earth Rotation and Reference Systems Service), which started operations on January 1, 1988. The mandate of the IERS is to

- Define and maintain the International Celestial Reference Frame (ICRF)
- Define and maintain the International Terrestrial Reference Frame (ITRF)
- Monitor the Earth rotation parameters

- Define the standards, constants, models etc., required for Earth rotation work.

VLBI, SLR, LLR were the techniques originally considered by the IERS. It is interesting to learn from Wilkins (2000) that one option was to consider VLBI as the only technique to define Earth rotation. This solution would have been rather close to the original definition of the ILS, namely to determine polar motion using one technique only, and to base the service on a small number of “identical” observatories. In retrospective it was a wise decision to define the IERS as a multi-technique service. From our perspective it would have been good to include astrometry as well. This would have added a completely independent technique to determine UT1. Also, the transfer problem of the celestial reference frame from the microwave to the optical domain would have been solved in this way. Be this as it may: The understanding of the IERS as a multi-technique service made it very easy for GPS to become acknowledged as an official IERS technique in the 1990s.

The **IGS, International GPS Service** was established in the early 1990s. The IGS planning committee started working after the IAG Scientific Assembly 1989 in Edinburgh under the leadership of I.I. Mueller. The committee wrote and sent out a call for participation for IGS stations, data centers, analysis centers, and central bureau, to take part in the IGS test campaign, and eventually in a future official IGS service. The response to the call for participation was overwhelming: It became clear that the IGS network would consist of dozens of tracking sites distributed worldwide (the current network consists of more than 200 stations), of three global and many regional data centers, and of a handful of analysis centers. The IGS Central Bureau was to be located at JPL (Jet Propulsion Laboratory) in Pasadena. At the IUGG General Assembly in Vienna, the IGS planning committee was dissolved and the so-called IGS Campaign Oversight Committee was created instead, with G. Beutler as chairman. It was the main purpose of this committee to organize a three-month IGS test campaign in 1992. The campaign was a great success. All analysis centers were capable of producing accurate GPS orbits (at least one order of magnitude better than the broadcast orbits) and, in addition, precise station coordinates, high-resolution polar motion and length of day data. The work of the IGS analysis center was regularly compared and evaluated by the analysis coordinator.

The 1992 IGS Test Campaign, scheduled for 21 June–23 September 1992, was, as a matter of fact, so successful that it was decided to continue operations on a best effort basis after the official end of the 1992 campaign in the framework of a pilot service. The IGS products became more and more mature, robust, and reliable. It was therefore only natural that the IAG Executive Committee, at its meeting in 1993 in Beijing, decided to establish the

IGS as an official IAG service, with official starting date on January 1, 1994. It was also decided that the IGS analysis coordinator, Jan Kouba from Canada, should not only compare and evaluate the analysis centres’ products, but in addition come up with official IGS products, which should be based on all individual solutions. This strategic decision was essential to make IGS products accurate, robust, and clearly understandable for the wider user community (scientific and commercial). The oversight committee was replaced by the IGS Governing Board with G. Beutler as its first chair. Beutler was succeeded by Prof. Ch. Reigber in 1999, who in turn was succeeded by Prof. J. Dow in 2003.

The IGS is a truly interdisciplinary service of IAG: GPS orbits, station coordinates and velocities, time transfer parameters, global ionosphere models, integrated water vapor content (for selected ground stations) are regularly determined by the IGS. This aspect of the IGS is documented in Beutler (1999). The IGS was (and is) widely recognized to be a model service of IAG.

**The International VLBI Service for Geodesy and Astrometry (IVS)** started its official operations as an IAG service on March 1, 1999. It is the successor of the CSTG (International Coordination of Space Techniques for Geodesy and Geodynamics) subcommission on VLBI, which is in turn the successor of the so-called IRIS (International Radio Interferometric Surveying) subcommission of CSTG, established at the IUGG General Assembly in Hamburg. The IRIS subcommission played an essential role during the MERIT campaign for demonstrating the power of the new space geodetic techniques for Earth rotation monitoring and for the establishment of the celestial and terrestrial reference frames. Today, the IVS is the service officially recognized by IUGG and IAU for the definition and maintenance of the celestial reference frame. Moreover, the (unbiased) determination of UT1–UTC and of precession and nutation, is performed by this service. The VLBI technique was developed by NASA. Today, Japanese and Canadian developments are of greatest importance in this domain, as well. Exactly like the IGS, the IVS is a single-technique service. Its terms of reference and structure are rather similar to those of the IGS.

**The International Laser Ranging Service (ILRS)** started official operations in fall 1998. The ILRS is the successor of the CSTG subcommission on satellite and lunar laser ranging, which was established in early 1986 as the Satellite Laser Ranging subcommission in 1986. Exactly like the IRIS subcommission, the SLR subcommission played an important role during the MERIT campaign. Today, the ILRS analyses define (in essence) the scale and origin of the ITRF, the IERS terrestrial reference frame. SLR/LLR can play this role, because atmospheric refraction may very well be modelled with sub-cm accuracy by using standard meteorological equipment

(measuring pressure, temperature, and humidity recorded at the observing sites). As seen from the IGGOS perspective, the ILRS and its contributions calibrate the microwave observing systems GPS and VLBI. It should be pointed out in addition that – prior to the launch of the CHAMP, GRACE, and GOCE missions – our knowledge of the Earth's global gravity field was essentially based on SLR/LLR (early astrometric satellite observations were also included). The ILRS will also play its role as a calibration technique for the determination of the gravity field with the dedicated gravity missions. The separation of the gravitational and non-gravitational forces is based on accelerometers in the modern spacecrafts, which may be biased in particular in the low-frequency part of the spectrum. This separation of gravitational and non-gravitational forces was done in a very primitive, but transparent way, in the case of the Laser geodetic satellites (like LAGEOS I, II, Starlette) by deploying and observing cannonball satellites and by minimizing the ratio “cross-section:mass” of the satellites. The residual non-gravitational forces are therefore very simple to model.

The IGS, IVS, and ILRS operate global networks of ground stations. The terrestrial part of IGGOS will be based on these technique-specific networks.

## 5 Summary

The new structure of IAG and its flagship, IGGOS as IAG's first project, were reviewed from the perspective of history. Many aspects of the new IAG remind us of General Baeyer's “magnificent experience”, which led in 1862 to the birth of the IAG, the International Association of Geodesy.

Exactly like in 1862 the measurement technology, in our case that of the space geodesy (geometrical and gravitational), has reached a high level of maturity and stability. We do not anticipate the advent of revolutionary new geodetic tools within the next decade (except for the expected olympic *altius, citius, fortius*).

The real challenge of the new IAG has to be seen in a set of mutually consistent gravitational and geometric products on the level of  $10^{-9}$  (*one ppb*). ***These products should be seen as geodesy's (and IAG's) contribution to the wider scientific community and to society in general. IGGOS is the metrological basis for all global change research and for more general questions dealing with mass exchange in the system Earth consisting of solid Earth, oceans, ice sheets, and atmosphere. IGGOS must be successful: Only by a continued monitoring of all geometric and gravimetric signals of the system Earth we obtain the boundary conditions for meaningful global geodynamic models.***

The IAG services played a very important role in the past for the development of geodesy and geodynamics (starting from the creation of the ILS in 1899 to the newly

established space geodetic and gravimetric services). The history of these services (in particular the development from the ILS to the IPMS and eventually to the IERS) in the 20th century is fascinating, but also encouraging – obviously it was possible to monitor the geodetic and geodynamic aspects of the system Earth with the state of the art methods for more than a century.

The years since the advent of the space age were years of research and technological development. The next two decades will most likely be a time period of modeling and understanding (of course accompanied by an optimization of the observational tools) relying on measurement series of increasing length and precision – made available through the IAG services. The IGGOS relies on these well established IAG services to monitor and understand the system Earth from the geodesist's perspective.

## References

- BAEYER JJ (1861) Über die Grösse und Figur der Erde – Eine Denkschrift zur Begründung einer mittel-europäischen Gradmessung. Berlin 1861
- BEUTLER G, ROTHACHER M, SCHAEER S, SPRINGER TA, KOUBA J, NEILAN RE (1999) The International GPS Service (IGS): an interdisciplinary service in support of Earth sciences. *Advances in Space Research*, Vol. 23, No. 4:631–653
- BEUTLER G, DREWES H, RUMMEL R (2000) Reflections on a new structure for IAG beyond 2000 - conclusions from the IAG Section II symposium in Munich. *International Association of Geodesy Symposia*, Vol. 121, 430–437
- BEUTLER G (2000) IAG services in the current framework of the International Association of Geodesy (IAG). *International Association of Geodesy Symposia*, Vol. 121, 419–423
- BEUTLER G, BRUNNER F, DICKEY J, FEISSEL M, FORSBERG R, MUELLER II, RUMMEL R, SANSO F, SCHWARZ K-P (2002) The IAG review 2000–2001 – executive summary. *International Association of Geodesy Symposia*, Vol. 125, 603–608
- BEUTLER G (2003). The new IAG Structure. *Journal of Geodesy*, this Volume
- Guinot B (2000) History of the Bureau International de l'heure. *IAU Colloquium 178, Astronomical Society of the Pacific*, 175–184
- HELMERT FR (1880) Die mathematischen und physikalischen Theorien der höheren Geodäsie. Leipzig, Teubner Verlag, 1880–1884
- Levallois JJ (1980) The history of the International Association of Geodesy. *Bulletin Géodésique*, Vol. 54, 249–313
- MUELLER II (1998) Science Services: International Association of Geodesy (IAG)/Federation of Astronomical & Geophysical Services (FAGS). Special Volume, IAG Scientific Assembly, Rio de Janeiro, Brazil, Sep

- 3–9, 1997, 62 pages, IAG Central Bureau c/o Department of Geophysics, Copenhagen, Denmark
- MUELLER II (2000) First decade of the IERS. IAU Colloquium 178, Astronomical Society of the Pacific, 201–213
- RUMMEL R, DREWES H, BEUTLER G (2002) Integrated Global Geodetic Observing System (IGGOS): A candidate IAG project. International Association of Geodesy Symposia, Vol. 125, 609–614
- RUMMEL R, DREWES H, BOSCH W, HORNIK H (editors) (2000) Towards an Integrated Global Geodetic Observing System (IGGOS). International Association of Geodesy Symposia, Vol. 120, 1–261
- SCHWARZ KP (2000) An analysis of the current IAG structure and some thoughts on an IAG focus. International Association of Geodesy Symposia, Vol. 121, 407–414
- TORGE W (1996) The International Association of Geodesy (IAG) – More than 130 years of International cooperation. Journal of Geodesy, Vol. 70, 840–845
- TORGE W (2001) Geodesy. Walter de Gruyter GmbH & Co., Berlin
- WILKINS GA (2000) Project MERIT and the formation of the International Earth Rotation Service. IAU Colloquium 178, Astronomical Society of the Pacific, 187–200
- YOKOYAMA K, MANABE S, SAKAI S (2000) History of the International Polar Motion Service/International Latitude Service. IAU Colloquium 178, Astronomical Society of the Pacific, 147–162




## IAG on the Internet (<http://www.iag-aig.org>)

**József Ádám and Szabolcs Rózsa**  
**IAG Communication and Outreach Branch**

HAS-BUTE Research Group for Physical Geodesy and Geodynamics, Department of Geodesy and Surveying,  
 Budapest University of Technology and Economics, P.O. Box 91 H-1521 Budapest, Hungary

URL: <http://www.iag-aig.org>

E-mail (Direct): [szrozsza@sci.fgt.bme.hu](mailto:szrozsza@sci.fgt.bme.hu), [jadam@sci.fgt.bme.hu](mailto:jadam@sci.fgt.bme.hu)



The IAG maintains an Internet site, which is a valuable source of information not only about the Association itself, but also about its scientific disciplines. The primary goal of the website is to communicate with the IAG members, and make information available to

the greater Geosciences community in the world as a whole.

The first IAG website was created in the middle 1990's and it was a well functional website (<http://www.gfys.ku.dk/~iag>). It was hosted and operated by the IAG Central Bureau at the Department of Geophysics, Copenhagen University, Denmark. This website was maintained by the IAG Secretary General, Professor Carl Christian Tscherning and by the IAG Assistant Secretary General, Ole Baltazar Andersen. The website was structured in the following sections: IAG General, Publications, IAG Awards and IAG Fund, Calendar, Meeting Announcements, Miscellaneous, Bibliographic Services, and Links to Geoscience Organisations.

Since the maintenance of the IAG website belongs to the activities of the Communication and Outreach Branch (COB) established by the new IAG By-Laws, therefore after the 23rd IUGG/IAG General Assembly (Sapporo, 2003) the website was moved to its new address at [www.iag-aig.org](http://www.iag-aig.org) and is maintained by our Webmaster, Szabolcs Rózsa [[szrozsza@sci.fgt.bme.hu](mailto:szrozsza@sci.fgt.bme.hu)]. It is currently hosted at the Department of Geodesy and Surveying of the Budapest University of Technology and Economics (BUTE) with the Research Group for Physical Geodesy and Geodynamics of the Hungarian Academy of Sciences (HAS), Budapest, Hungary.


To improve communication about IAG activities and related informations, the IAG home page has been re-designed and the website is under upgrading. It will be a repository of information about IAG history, Meetings, Activities, Resolutions, Commissions, Publications, Officers, and more. Links to important Web pages related to Geodesy, namely

- IAG sponsored symposia,
- IAG Commissions,
- IAG's' old Sections
- IAG Services,
- Satellite Missions,
- IUGG and Associations,
- IAG Sister Societies,
- Geoscience Organisations

can presently be accessed on the new IAG home page. Links to University and Institute Web pages will also be added.

The new IAG website is also in the English Language. It has a counter to record statistics (www.nedstatbasic.net). Up to now (20 October 2003) our new website received 2760 hits.

Layout of the website is as follows and the IAG homepage as a picture is attached to this report.



## Structure of the International Union of Geodesy and Geophysics (IUGG) For the period 2003–2007

### Bureau

President: **Dr. Uri Shamir** (Israel)  
 Vice President: **Dr. Tom Beer** (Australia)  
 Secretary General: **Dr. Jo Ann Joselyn** (U.S.A.)  
 Treasurer: **Dr. Aksel Hansen** (Denmark)  
 Bureau Members: **Dr. A. Tealeb** (Egypt),  
                           **Dr. H. Gupta** (India),  
                           **Dr. Y.T. Chen** (China)  
 Assistant Treasurer: **Anders Svensson** (Denmark)  
 Past President: **Masaru Kono** (Japan)

### Executive committee

- The Bureau
- The Past president of the Union
- The presidents of the Associations (listed below):

#### International Association of Geodesy

President: **Dr. G. Beutler** (Switzerland)  
 Secretary General: **Dr. C.C. Tscherning** (Denmark)

#### International Association of Geomagnetism and Aeronomy

President: **Dr. C. Barton** (Australia)  
 Secretary General: **Dr. B. Hultqvist** (Sweden)

#### International Association of Hydrological Sciences

President: **Dr. K. Takeuchi** (Japan)  
 President-Elect: **Dr. Askew** (Switzerland)  
 Secretary General: **Dr. P. Hubert** (France)

#### International Association of Meteorology and Atmospheric Sciences

President: **Dr. M. MacCracken** (U.S.A.)  
 Secretary General: **Dr. R. List** (Canada)

#### International Association for the Physical Sciences of the Ocean

President: **Dr. S. Imawaki** (Japan)  
 Secretary General: **Dr. F. Camfield** (U.S.A.)

#### International Association of Seismology and Physics of the Earth's Interior

President: **Dr. E.R. Engdahl** (U.S.A.)  
 Secretary General: **Dr. P. Suhadolc** (Italy)

#### International Association of Volcanology and Chemistry of the Earth's Interior

President: **Dr. O. Navon** (Israel)  
 Secretary General: **Dr. S. McNutt** (U.S.A.)

The Secretary Generals of the Associations may attend any meeting of the Executive committee of the Union in an advisory capacity.

### Finance Committee

Chairman: Chair **Dr. M. Hamlin** (U.K.),  
 Members: **Dr. D. Jackson** (U.S.A.),  
               **Dr. B. Kennett** (Australia),  
               **Dr. K. Suyehiro** (Japan),  
               **Dr. J. Vilas** (Argentina).

## Structure of the International Association of Geodesy for the period 2003–2007

### Bureau

President: **Gerhard Beutler** (Switzerland)  
 Vice President: **Michael Sideris** (Canada)  
 Secretary General: **C. C. Tscherning** (Denmark)

### Executive committee

- The Bureau
- The Past President:
- The Commission Presidents:
- Three Service Representatives.
- President of the Communication and Outreach Branch.
- Two members at large (geographical coverage)

#### *Commission 1 (Reference Frames)*

President: **Herman Drewes** (Germany)  
 Vice-President: **C.K. Shum** (USA)

#### *Commission 2 (Gravity Field)*

President: **Christopher Jekeli** (USA)  
 Vice-President: **Ilias Tziavos** (Greece)

#### *Commission 3 (Earth Rotation and Geodynamics)*

President: **Veronique Dehant** (Belgium)  
 Vice-President: **Mike Bevis** (USA)

#### *Commission 4 (Positioning & Applications)*

President: **Chris Rizos** (Australia)  
 Vice-President: **Pascal Willis** (France)

#### *Members at large:*

**Luiz P. Fortes** (Brazil)  
**Charles Merry** (South Africa)

#### *Service representatives:*

**Ruth Neilan** (USA)  
**Markus Rothacher** (Germany)  
**Harald Schuh** (Germany)

#### *President of the Communication and Outreach Branch*

**J.Adam** (Hungary)

### Other officers

#### *Editor in Chief of the Journal of Geodesy*

**W. Featherstone** (Australia)

#### *Assistant Secretaries of the Association*

**Ole Baltazar Andersen** (Denmark)

#### *Honorary Presidents:*

**F. Sansó** (Italy) – Past President  
**K.-P. Schwarz** (Canada)  
**H. Moritz** (Austria)  
**I. I. Mueller** (USA)  
**W. Torge** (Germany)

#### *Honorary Secretaries General*

**M. Louis** (France)  
**C. Boucher** (France)

Secretaries on the sections and the other officers may attend any meeting of the Executive Committee of the Association in an advisory capacity.

## IAG structure

### International Services:

*IERS (International Earth Rotation and Reference Systems Service)*

Chair of D. B.: **Jan Vondrák** (Czech Rep.)

Director of C. B.: **Bernd Richter** (Germany)

*IGS (International GPS Service)*

Chair of G. B.: **John Dow** (Germany)

Director of C. B.: **Ruth Neilan** (USA)

*ILRS (International Laser Ranging Service)*

Chairman of G. B.: **Werner Gurtner** (Switzerland)

Director of C. B.: **Michael Pearlman** (USA)

Secretary: **Carey Noll** (USA)

*IVS (International VLBI Service for Geodesy and Astrometry)*

Chair of D. B.: **W. Schlüter** (Germany)

Coordinating C. D.: **N. Vandenberg** (USA)

*IGFS (International Gravity Field Service)*

Chair: **Rene Forsberg** (Denmark)

*IDS (International DORIS Service)*

Chair of G. B.: **G. Tavernier** (France)

*BGI (International Gravimetric Bureau)*

Director: **J-P. Barriot** (France)

*IGeS (International Geoid Service)*

President: **F.Sansò** (Italy)

Director: **R.Barzaghi** (Italy)

*ICET (International Centre for Earth Tides) (Belgium)*

Chair of D. B.: **Bernard Ducarme** (Belgium)

*PSMSL (Permanent Service for Mean Sea Level)*

Director: **P.L. Woodworth** (UK)

*BIPM (Bureau International de Poids and Measure – time section)*

Director Time Section: **E.F. Arias** (France)

*IBS (IAG Bibliographic Service)*

Chair: **Annekathrin Korth** (Germany)

## Commissions:

### Commission 1 - Reference Frames

President: **H. Drewes** (Germany)

Vice President: **C.K. Shum** (USA)

#### Sub-Commissions:

SC1.1: Coordination of Space Techniques  
President: **M. Rothacher** (Germany)

SC1.2: Global Reference Frames  
President: **Claude Boucher** (France)

SC1.3: Regional Reference Frames  
President: **Zuheir Altamimi** (France)

SC1.3 a: Europe  
Chair: **Joao Torres** (Portugal)

SC1.3 b: South and Central America  
Chair: **Luiz Paulo Fortes** (Brazil)

SC1.3 c: North America  
Chair: **Michael Craymer** (Canada)

SC1.3 d: Africa  
Chair: **R. Wonnacott** (South Africa)

SC1.3 e: Asia-Pacific  
Chair: **John Manning** (Australia)

SC1.3 f: Antarctica  
Chair: **Reinhard Dietrich** (Germany)

SC1.4: Interaction of Celestial and Terrestrial  
Reference Frames  
President: **Shen Yuan Zhu** (Germany)

#### Inter-Commission Projects:

IC-P1.1: Satellite Altimetry  
(Joint with Commissions 2 and 3)  
Chair: **Wolfgang Bosch** (Germany)

IC-P1.2: Vertical Reference Frames  
(Joint with Commission 2)  
Chair: **Johannes Ihde** (Germany)

*Inter-Commission Study Groups:*

IC-SG1.1: Ionosphere Modelling and Analysis  
(Joint with Commission 4 and COSPAR)  
Chair: **Claudio Brunini** (Argentina)

IC-SG1.2: Use of GNSS for Reference Frames  
(Joint with Commission 4 and IGS)  
Chair: **Robert Weber** (Austria)

*Inter-Commission Working Groups*

IC-WG 1: Quality Measures, Quality Control and Quality Improvement  
(Joint with ICCT and Commission 2)  
(Description: See ICCT)  
Chair: **H. Kutterer** (Germany)

IC-WG2: Integrated theory for Crustal Deformation  
(Joint with ICCT and Commission 3)  
(Description: See ICCT)  
Chair: **K. Heki** (Japan)

IC-WG3: Satellite Gravity Theory  
(Joint with ICCT and Commission 2 )  
(Description: See ICCT)  
Chair: **N. Sneeuw** (Canada)

**Commission 2 (Gravity Field)**

President: **Christopher Jekeli** (USA)  
Vice-President: **Ilias Tziavos** (Greece)

*Sub-Commissions:*

SC2.1: Gravimetry and Gravity Networks  
President: **Shuhei Okubo** (Japan)

SC2.2: Spatial and Temporal Gravity Field and Geoid Modeling  
President: **Martin Vermeer** (Finland)

SC2.3: Dedicated Satellite Gravity Mapping Missions  
President: **Pieter Visser** (The Netherlands)

SC2.4: Regional Geoid Determination  
President: **Urs Marti** (Switzerland)

*Commission Projects:*

CP2.1: European Gravity and Geoid  
Chair: **Heiner Denker** (Germany)

CP2.2: North American Geoid  
Chair: **Marc Véronneau** (Canada)

CP2.3: African Geoid  
Chair: **Charles Merry** (South Africa)

CP2.4: Antarctic Geoid  
Chair: **Mirko Scheinert** (Germany)

CP2.5: South American Geoid  
Chair: **Denizar Blitzkow** (Brazil)

CP2.6: Southeast Asian Geoid  
Chair: **Bill Kearsley** (Australia)

CP2.7: Gravity in South America  
Chair: **María Cristina Pacino** (Argentina)

*Study Groups:*

SG2.1: Comparison of Absolute Gravimeters  
Chair: **Leonid Vitushkin** (France)

SG2.2: Forward Gravity Field Modeling Using Global Databases  
Chair: **Michael Kuhn** (Australia)

SG2.3: Satellite altimetry: data quality improvement and coastal applications  
Chair: **Cheinway Hwang** (Taiwan)

SG2.4: Aerogravimetry and Gradiometry  
Chair: **Uwe Meyer** (Germany)

*Inter-Commission Study Groups:*

- IC-SG2.5: Aliasing in Gravity Field Modeling  
(Joint with ICCT)  
Chair: **C. Christian Tscherning** (Denmark)
- IC SG2.6: Multiscale Modeling of the Gravity Field  
(Joint with ICCT )  
Chair: **W. Freeden** (Germany)

- IC-WG2: Integrated theory for Crustal Deformation  
(Joint with ICCT and Commission 3)  
(Description: See ICCT)  
Chair: **K. Heki** (Japan)
- IC-WG3: Satellite Gravity Theory  
(Joint with ICCT and Commission 2)  
(Description: See ICCT)  
Chair: **N. Sneeuw** (Canada)

*Inter-Commission Projects:*

- ICP1.1: Satellite Altimetry  
(Joint with Commission 1 and 3)  
(Description: See Commission 1)  
Chair: **W. Bosch** (Germany)
- IC-P1.2: Vertical Reference Frames  
(Joint with commission 1)  
(Description: See Commission 1)  
Chair: **Johannes Ihde** (Germany)
- IC-P3.1: GGP Global Geodynamics Project  
(Joint with Commission 3.  
(Description: See Commission 1)  
Chair: **David Crossley** (USA)

*Inter-Commission Working Groups:*

- IC-WG 1: Quality Measures, Quality Control and Quality Improvement  
(Joint with ICCT and Commission 1)  
(Description: See ICCT)  
Chair: **H. Kutterer** (Germany)
- IC-WG3: Satellite Gravity Theory  
(Joint with ICCT and Commission 1)  
(Description: See ICCT)  
Chair: **N. Sneeuw** (Canada)

*Inter-Commission Study Groups:*

- IC-SG1.1: Ionosphere Modelling and Analysis  
(Joint with Commission 4 and COSPAR)  
Chair: **Claudio Brunini** (Argentina)
- IC-SG1.2: Use of GNSS for Reference Frames  
(Joint with Commission 4 and IGS)  
Chair: **Robert Weber** (Austria)

*Inter-Commission Working Groups*

- IC-WG 1: Quality Measures, Quality Control and Quality Improvement  
(Joint with ICCT and Commission 2)  
(Description: See ICCT)  
Chair: **H. Kutterer** (Germany)

### Commission 3 (Earth Rotation and Geodynamics)

President: **Veronique Dehant** (Belgium)  
 Vice-President: **Mike Bevis** (USA)

#### *Sub-Commissions:*

- SC3.1: Earth Tides  
 President: **Gerhard Jentzsch** (Germany)
- SC3.2: Crustal Deformation  
 President: **Markku Poutanen** (Finland)
- SC3.3: Geophysical Fluids  
 President: **Richard Gross** (USA)

#### *Inter Commission Projects:*

- IC-P1.1: Satellite Altimetry  
 (Joint with Commission 1 and 2)  
 (Description: See Commission 1)  
 Chair: **Wolfgang Bosch** (Germany)
- IC-P3.1: GGP Global Geodynamics Project  
 (Joint with Commission 2).  
 Chair: **David Crossley** (USA)

#### *Inter Commission Working Groups:*

- IC-WG1: Theory of crustal deformations  
 (Joint with ICCT and Commission 1)  
 (Description: See ICCT)  
 Chair: **Kosuke Heki** (Japan)

### Commission 4 (Positioning & Applications)

President: **Chris Rizos** (Australia)  
 Vice-President: **Pascal Willis** (France)

#### *Sub-Commissions:*

- SC4.1: Multi-sensor Systems  
 President: **D. Grejner-Brzezinska** (USA)
- SC4.2: Applications of Geodesy in Engineering  
 President: **Heribert Kahmen** (Austria)
- SC4.3: GNSS Measurement of the Atmosphere  
 President: **Susan Skone** (Canada)
- SC4.4: Applications of Satellite & Airborne Imaging Systems  
 President: **Xiaoli Ding** (Hong Kong)
- SC4.5: Next Generation RTK  
 President: **Yang Gao** (Canada)

#### *Study Groups:*

- SG4.1: Pseudolite Applications in Positioning & Navigation  
 Chair: **Dr. Jinling Wang** (Australia)

#### *Inter-Commission Study Groups*

- IC-SG4.2: Statistics & Geometry in Mixed Integer Linear Models, with Applications to GPS & InSAR  
 (Joint with ICCT)  
 Chair: **Athanasios Dermanis** (Greece)
- IC-SG1.1: Ionospheric Modelling and Analysis  
 (Joint with Commission 1 & COSPAR)  
 (Description: See commission 1)  
 Chair: **Claudio Brunini** (Argentina)
- IC-SG1.2: Use of GNSS for Reference Frames  
 (Joint with Commission 1)  
 (Description: See commission 1)  
 Chair: **Robert Weber** (Austria)



## Inter-Commission committees:

### Inter-commission committee on Theory (ICCT)

President: **Peiliang Xu** (China)

Vice President: **Athanasios Dermanis** (Greece)

#### *Working Groups:*

- WG ICCT1: Inverse Problems and Global Optimization  
Chair: **Juergen Kusche** (Germany)
- WG-ICCT2: Dynamic Theories of Deformation and Gravity Fields  
Chair: **D. Wolf** (Germany)
- WG-ICCT3: Functional Analysis, Field Theory and differential Equations  
Chair: **Jinhai Yu** (China)

#### *Inter-Commission Study Groups*

- IC-SG2.5: Aliasing in gravity field modeling  
(Joint with Commission 2)  
(Description: See Commission 2)  
Chair: **C.C. Tscherning** (Denmark)
- IC-SG2.6: Multiscale Modeling of the Gravity Field  
(Joint with Commission 2)  
(Description: See Commission 2)  
Chair: **W. Freeden** (Germany)
- IC-SG4.2: Statistics and Geometry in Mixed Integer Linear Models, with Applications to GPS and InSAR  
(Joint with Commission 4)  
(Description: See Commission 4)  
Chair: **A. Dermanis** (Greece)

#### *Inter-Commission Working Groups*

- IC-WG 1: Quality Measures, Quality Control and Quality Improvement  
(Joint with Commission 1 and 2)  
Chair: **H. Kutterer** (Germany)
- IC-WG2: Integrated theory for Crustal Deformation  
(Joint with Commission 1 and 3)  
Chair: **K. Heki** (Japan)
- IC-WG3: Satellite Gravity Theory  
(Joint with Commission 1 and 2)  
Chair: **N. Sneeuw** (Canada)

### Inter commission committee on Planetary Geodesy (ICCPG)

President: **David Smith** (USA)

Vice President: **Georges Balmino** (France)

---

## IAG Projects

### Integrated Global Geodesy Observing System (IGGOS)

Chair: **Ch. Reigber** (Germany)

Secretary: **H. Drewes** (Germany)

---

## Communication and Outreach

### Communication and Outreach Branch

President: **József Ádám** (Hungary)

Vice President: **Szabolcs Rózsa** (Hungary)